

Ecological site R012XY047ID Marsh TYLA-SCAC3

Last updated: 9/22/2020 Accessed: 05/02/2024

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.

Author(s)/participant(s)	Dave Franzen and Jacy Gibbs Intermountain Range Consultants 17700 Fargo Rd. Wilder, ID 83676			
Contact for lead author	Brendan Brazee, State Rangeland Management Specialist USDA-NRCS 9173 W. Barnes Drive, Suite C, Boise, ID 83709			
Date	04/21/2009			
Approved by	Kendra Moseley			
Approval date				
Composition (Indicators 10 and 12) based on	Annual Production			

no	ndicators						
1.	Number and extent of rills: rills do not occur on this site.						
2.	Presence of water flow patterns: water flow patterns do not occur on this site. The site is covered with water.						
3.	Number and height of erosional pedestals or terracettes: neither occurs on this site.						
4.	Bare ground from Ecological Site Description or other studies (rock, litter, lichen, moss, plant canopy are not bare ground): none.						
5.	Number of gullies and erosion associated with gullies: none.						
6.	Extent of wind scoured, blowouts and/or depositional areas: blowouts and depositional areas do not occur.						

7.	Amount of litter movement (describe size and distance expected to travel): litter may move in the standing water.					
8.	urface (top few mm) resistance to erosion (stability values are averages - most sites will show a range of s): values should range from 4 to 6 but needs to be tested.					
9.	Soil surface structure and SOM content (include type of structure and A-horizon color and thickness): structure ranges Soil organic matter (SOM) needs to be determined. The A or A1 horizon is typicallyinches thick. NO DATA					
10.	Effect of community phase composition (relative proportion of different functional groups) and spatial distribution on infiltration and runoff: site has standing water.					
11.	Presence and thickness of compaction layer (usually none; describe soil profile features which may be mistaken for compaction on this site): a compaction layer is not present.					
12.	Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to): Dominant: rhizomatous species					
	Sub-dominant: perennial forbs					
	Other:					
	Additional:					
13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence): Little mortality occurs on the site.					
14.	Average percent litter cover (%) and depth (in): not applicable.					
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production): is 4500 pounds per acre (5040 Kg/ha) in a year with normal amounts of standing water and temperatures. Rhizomatous species produce 90-95 percent of the total production and forbs less than 10 percent.					
16.	Potential invasive (including noxious) species (native and non-native). List species which BOTH characterize degraded states and have the potential to become a dominant or co-dominant species on the ecological site if their future establishment and growth is not actively controlled by management interventions. Species that become dominant for only one to several years (e.g., short-term response to drought or wildfire) are not invasive plants. Note that unlike other indicators, we are describing what is NOT expected in the reference state					

for the ecological site: includes purple loosestrife and common reed.

Perennial plant reproductive capability: all functional groups have the potential to reproduce in most years. Most o							
the plants can reproduce vegetatively.							