

Ecological site R108XD767IA Sandstone Backslope Prairie

Accessed: 05/03/2024

General information

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Figure 1. Mapped extent

Areas shown in blue indicate the maximum mapped extent of this ecological site. Other ecological sites likely occur within the highlighted areas. It is also possible for this ecological site to occur outside of highlighted areas if detailed soil survey has not been completed or recently updated.

MLRA notes

Major Land Resource Area (MLRA): 108X-Illinois and Iowa Deep Loess and Drift

The full document of this Provisional Ecological Site Description can be found on the Iowa and Missouri Natural Resources Conservation Service electronic Field Office Technical Guide in Section 2.

Table 1. Dominant plant species

Tree	Not specified
Shrub	Not specified
Herbaceous	Not specified

Physiographic features

Climatic features

Influencing water features

Soil features

Ecological dynamics

State and transition model

Rangeland health reference sheet

Interpreting Indicators of Rangeland Health is a qualitative assessment protocol used to determine ecosystem condition based on benchmark characteristics described in the Reference Sheet. A suite of 17 (or more) indicators are typically considered in an assessment. The ecological site(s) representative of an assessment location must be known prior to applying the protocol and must be verified based on soils and climate. Current plant community cannot be used to identify the ecological site.

Author(s)/participant(s)	

Da	ite		
Αp	proved by		
Αp	proval date		
Co	emposition (Indicators 10 and 12) based on	Annual Production	
	dicators Number and extent of rills:		
2.	Presence of water flow patterns:		
3.	Number and height of erosional pedesta	als or terracettes:	
4.	Bare ground from Ecological Site Describare ground):	iption or other stud	dies (rock, litter, lichen, moss, plant canopy are not
5.	Number of gullies and erosion associate	ed with gullies:	
6.	Extent of wind scoured, blowouts and/o	r depositional area	as:
7.	Amount of litter movement (describe size	e and distance exp	pected to travel):
8.	Soil surface (top few mm) resistance to values):	erosion (stability v	values are averages - most sites will show a range of
9.	Soil surface structure and SOM content	(include type of st	tructure and A-horizon color and thickness):
10.	Effect of community phase composition distribution on infiltration and runoff:	ı (relative proportio	on of different functional groups) and spatial
11.	Presence and thickness of compaction mistaken for compaction on this site):	layer (usually none	e; describe soil profile features which may be

12. Functional/Structural Groups (list in order of descending dominance by above-ground annual-production or live

foliar cover using symbols: >>, >, = to indicate much greater than, greater than, and equal to):

Contact for lead author

	Sub-dominant:
	Other:
	Additional:
13.	Amount of plant mortality and decadence (include which functional groups are expected to show mortality or decadence):
14.	Average percent litter cover (%) and depth (in):
15.	Expected annual annual-production (this is TOTAL above-ground annual-production, not just forage annual-production):