

# Ecological site group 026XESG05

## Finer Uplands

Last updated: 08/21/2023  
Accessed: 01/15/2025

---

### Key Characteristics

- Uplands
- <75% bedrock outcrop
- Surface SAR <8, subsurface EC <8, and surface EC <4
- EC <1.5 surface and <2 subsurface
- Slope <35% or <40% surface rock
- Depth >55cm
- Rock <30% surface and <30% subsurface
- Clay <30% surface and <35% subsurface
- Sand <75% or texture is sandy loam or finer in surface & subsurface
- Clay >20% or texture is finer than sandy loam in surface

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

### Physiography

This ESG is located on fan remnants.

### Vegetation dynamics

The modal ecological site for this ESG is R026XY010NV Loamy 10-12 P.Z.

### Major Land Resource Area

MLRA 026X  
Carson Basin and Mountains

### Subclasses

- R026XY001NV–MOIST FLOODPLAIN
- R026XY005NV–LOAMY 12-14 P.Z.
- R026XY010NV–LOAMY 10-12 P.Z.
- R026XY012NV–DRY FLOODPLAIN 8-10 P.Z.
- R026XY016NV–LOAMY 8-10 P.Z.
- R026XY030NV–LOAMY BOTTOM 8-12 P.Z.
- R026XY032NV–DEEP SODIC FAN

### Correlated Map Unit Components

22667545, 22667493, 22667742, 22730250, 22730255, 22730258, 23149360, 23149370, 23149082, 23149665, 23149765, 23151116, 23151195, 23255565, 23255649, 23255651, 23256101, 23256215, 23256556, 23255844, 23255849, 23256528, 23256359, 23256340, 23256798, 23256610, 23256967, 23256761

### Stage

Provisional

## **Contributors**

Curtis Talbot

Travis Nauman

## **State and transition model**

## **Citations**