

# Ecological site group 027XESG05

## Finer Uplands

Last updated: 08/29/2023  
Accessed: 04/20/2024

---

### Key Characteristics

- Uplands
- <75% bedrock outcrop
- Surface SAR <8, and subsurface EC <8, and surface EC <4
- EC <1.5 surface and <2 subsurface
- Slope <35% or <40% surface rock
- Depth >55cm
- Rock <30% surface and <30% subsurface
- Clay <30% surface and <35% subsurface
- Sand <75% and texture is sandy loam or finer in surface & subsurface
- Clay >20% and texture is finer than sandy loam in surface

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

### Physiography

This ESG is located on stream terraces.

### Climate

This ESG is characterized by the aridic moisture regime.

### Vegetation dynamics

The modal ecological site for this ESG is R027XY002NV Moist Floodplain.

### Major Land Resource Area

MLRA 027X  
Fallon-Lovelock Area

### Subclasses

- R027XY001NV–WETLAND
- R027XY002NV–MOIST FLOODPLAIN
- R027XY024NV–SODIC TERRACE
- R027XY025NV–SODIC FLAT

### Correlated Map Unit Components

23147895, 23148230, 23147936, 23148575, 23147979, 23148111, 22730314, 22730330, 22730333, 22730368, 22730369, 22729889, 22729929, 22729902, 23150777, 23253285, 23253344, 23253350, 23253437, 23253443, 23253767, 23253836, 23253914, 23257958, 23258129, 23258128, 23258169, 23258243

## **Stage**

Provisional

## **Contributors**

Curtis Talbot

Travis Nauman

## **State and transition model**

## **Citations**