

# Ecological site group 034BESG02

## Clay Uplands

Last updated: 05/08/2023  
Accessed: 04/23/2024

---

### Key Characteristics

- Uplands
- <75% bedrock outcrop
- Surface SAR <8
- Gypsum <5% surface and <10% subsurface
- Subsurface EC <8 and surface EC <4
- EC <1.5 surface and <2 subsurface
- Slope <35% or <40% surface rock
- Depth >55cm
- Rock <30% surface and <30% subsurface
- Clay >30% surface or >35% subsurface

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

### Physiography

This ESG is located on treads.

### Vegetation dynamics

The modal ecological site for this ESG is R034BY106UT Desert Loam (Shadscale).

### Major Land Resource Area

MLRA 034B

Warm Central Desertic Basins and Plateaus

### Subclasses

- R034BY103UT–Desert Clay (Castlevalley saltbush)
- R034BY106UT–Desert Loam (Shadscale)
- R034BY248UT–Semidesert Very Steep Loam (Shadscale)
- R034BY322UT–Upland Shallow Loam (Two-Needle Pinyon / Utah Juniper)
- R034BY328CO–Semidesert Clay Loam

### Correlated Map Unit Components

22933947, 22934074, 22934180, 22934186, 22934185, 22934089, 22933965, 22934272, 22934271, 22934214, 22934215, 22934224, 22934221, 22934228, 22933880, 22852652, 23055216, 23055360, 23055029, 22858814, 22860263, 22859568, 22859571, 22369736, 22371779, 22371783, 22371793, 22371796, 22371801, 22371802, 22480857, 22481001, 22481122

### Stage

Provisional

## **Contributors**

Curtis Talbot  
Travis Nauman

## **State and transition model**

## **Citations**