

Ecological site group 036XESG09

Riparian

Last updated: 10/25/2023
Accessed: 04/17/2024

Key Characteristics

- <75% bedrock outcrop
- Perennial water

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Physiography

This ESG is located on flood plains.

Climate

This ESG is characterized by the aquic moisture regime.

Vegetation dynamics

The modal ecological site for this ESG is R036XY038CO Wet Meadow.

Major Land Resource Area

MLRA 036X
Southwestern Plateaus, Mesas, and Foothills

Subclasses

- F036XA005NM–Riverine Riparian
- R036XB002NM–Clayey
- R036XB008NM–Meadow
- R036XB138NM–Marshy
- R036XC013UT–Southwestern Plateau Riparian Complex Intermittent (Valley Type IV - F4/B4C Stream Type)
- R036XY038CO–Wet Meadow
- R036XY266CO–Salt Meadow

Correlated Map Unit Components

23736065, 23736141, 23735957, 23736010, 23736111, 23736135, 23735632, 23735533, 23735152, 23734375, 23734550, 23734710, 23734715, 23734655, 23734773, 23734957, 23734524, 23734099, 23730753, 24317100, 24317467, 24317374, 24365508, 24365863, 24366750, 24365295, 24366173, 24367170, 24324752, 24324753, 24324277

Stage

Provisional

Contributors

Curtis Talbot
Travis Nauman

State and transition model

Citations