

Ecological site group 036XESG17

Arid Cool Clay Uplands

Last updated: 03/27/2024
Accessed: 04/30/2024

Key Characteristics

- <75% bedrock outcrop
- Ephemeral water or uplands
- Aridic moisture regime
- Cryic, frigid, or mesic temperature regimes
- Uplands
- Surface SAR <8
- Gypsum <5% surface and <10% subsurface
- Subsurface EC <8 and surface EC <4
- EC <1.5 surface and <2 subsurface
- Slope <35% or <40% surface rock
- Depth >55cm
- Rock <30% surface and <30% subsurface
- Clay >30% surface or >35% subsurface

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Physiography

This ESG is located on alluvial fans.

Climate

This ESG is characterized by the mesic temperature regime and the aridic moisture regime.

Vegetation dynamics

The modal ecological site for this ESG is R036XB006NM Loamy.

Major Land Resource Area

MLRA 036X
Southwestern Plateaus, Mesas, and Foothills

Subclasses

- R036XB006NM–Loamy
- R036XB017NM–Swale
- R036XY289CO–Clayey Foothills
- R036XY325CO–Semidesert Loam

Correlated Map Unit Components

23735609, 23735626, 23735630, 23735717, 23735780, 23734963, 24316373, 24316495, 24316245, 24316251, 24316255, 24316392, 24317220, 24316869, 24316881, 24317444, 24366512, 24365336, 24324931

Stage

Provisional

Contributors

Curtis Talbot
Travis Nauman

State and transition model

Citations