

Ecological site group 047XESG08

Riparian

Last updated: 05/02/2023
Accessed: 04/24/2024

Key Characteristics

- Additional water
- Perennial water

Provisional. A provisional ecological site description has undergone quality control and quality assurance review. It contains a working state and transition model and enough information to identify the ecological site.

Physiography

This ESG is located on flood plains.

Climate

This ESG is characterized by the aquic moisture regime.

Vegetation dynamics

The modal ecological site for this ESG is R047XA008UT Interzonal Wet Fresh Meadow (sedge).

Major Land Resource Area

MLRA 047X
Wasatch and Uinta Mountains

Subclasses

- R047XA008UT–Interzonal Wet Fresh Meadow (sedge)
- R047XA010UT–Interzonal Wet Fresh Streambank (willow)
- R047XB004UT–Semi-wet Fresh Meadow
- R047XB008UT–Wet Fresh Meadow
- R047XC008UT–Wet Fresh Meadow (sedge)

Correlated Map Unit Components

22854239, 22854733, 22854568, 22854744, 22854576, 22854577, 22600819, 22600751, 22599781, 22600571, 22600567, 22603410, 22604149, 22370357, 22370359, 22369204, 22369002, 22369003, 22369748, 22368996, 22403737, 22403763, 22403872, 22403878, 22403880, 22403947, 22404091, 22483067, 22483808, 22483697, 22483698, 22484477, 22484347, 22484348, 22484343, 22484341, 22601773, 22728197

Stage

Provisional

Contributors

Curtis Talbot
Travis Nauman

State and transition model

Citations