# Major Land Resource Area 027X Fallon-Lovelock Area

Accessed: 06/30/2024

## **Ecological site keys**

## Lahontan Basin LRU Key

- 1 Soils formed in lacustrine influenced alluvium. Landforms are dominated by alluvial flats and plains. Slopes are less than 10 percent and the elevation is typically less than 1,350 meters (4,429 feet)....Basins LRU: The majority, but not all, of this area was underwater during the most recent high stand of Lake Lahontan.
- 1' Landforms and elevations not as above... go to 2
  - 2 Soils formed in mixed alluvium with some residuum or colluvium. The landforms are dominated by piedmont slopes. The elevations range from 1,350 to 1,780 meters (4,429 to 5,840 feet).... Hills and fans: Low hills and rock pediments characterized by typic aridic soil moisture regime are also included in this LRU.
  - 2' Soils formed in residuum and/or colluvium. The landforms are dominated by mountains and the elevations are greater than 1,780 meters (5,840 feet).... Mountains

#### **Basins**

- I. Soil is moderately well, somewhat poorly, poorly, or very poorly drained.
  - A. Soil is very poorly drained with long duration ponding. ... R027XY001NV WETLAND
  - B. Site does not experience long duration ponding.
    - 1 Sodium adsorption ratio is less than 13.
      - i. Seasonal water table is within 90 to 150 cm (35 to 59 inches). Site occasionally floods with an irregular decrease in organic matter. Clay is less than 5 percent. ... F027XY038NV Flood Plain
      - ii. Seasonal water table is within 90to 150 cm (35 to 59 inches), but other characteristics not as above.
        - a. Sodium adsorption ratio is less than 13. (See also R027XY004NV and R027XY069NV) ... R027XY002NV MOIST FLOODPLAIN
        - b. Sodium adsorption ratio is greater than 13. (See also R027XY090NV) ... R027XY005NV SALINE MEADOW
    - 2 Sodium adsorption ratio is greater than 13.
      - i. Electrical conductivity is less than 16 and the water table is 30 to 90 cm (12 to 35 inches). ...  $R027XY006NV SALINE\ BOTTOM$
      - ii. Electrical conductivity is greater than 16.
        - a. Water table is between 0 and 50 cm (0 and 19 inches). ... R027XY089NV SODIC BOTTOM
        - b. Water table is between 50 and 100 cm (19 and 39 inches). ... R027XY077NV MOIST SALINE FLAT
- II. Soil is well or excessively drained.
  - A. Site has sandy texture throughout and does not have rock fragments (site is typically excessively drained).
    - 1 Site occurs on dunes.
      - i. Sodium adsorption ratio is less than 4. ... R027XY023NV DUNES 4-8 P.Z.
      - ii. Sodium adsorption ratio is greater than 4. ... R027XY016NV SODIC DUNES

- B. Soil not as above.
  - 1 Site occurs in an ephemeral drainageway. ... R027XY022NV VALLEY WASH
  - 2 Landform not as above.
    - i. Site receives less than 5 inches of mean annual precipitation (MAP).
      - a. Site has greater than 35 percent rock fragments. ... R027XY043NV COARSE GRAVELLY LOAM 3-5 P.Z.
      - b. Site has less than 35 percent rock fragments. ... R027XY060NV SANDY 3-5 P.Z.
    - ii. Site receives more than 5 inches MAP.
      - a. Sodium adsorption ratio is greater than 30.
        - 1) Site experiences occasional ponding, is on less than 1 percent slopes, and occurs on alluvial flats. (See also R023XG047CA and R027XY094NV) ... R027XY025NV SODIC FLAT
        - 2) Site does not experience ponding and occurs on fan skirts and/or lake terraces.
          - a) Soil has thin platy structure and has a well developed vesicular pores in the A horizon. It is typically located on fan skirts. (See also R024XY003NV and R023XG046CA) ... R027XY024NV SODIC TERRACE
          - b) Soil has a thin platy structure and a well developed vesicular pores in the A horizon. It is typically found above fan skirts. (See also R027XY018NV) ... R027XY013NV LOAMY 4-8 P.Z.
          - c) Soil has a thick platy structure and is typically found on lake terraces. ... R027XY041NV DEEP SODIC FAN
      - b. Sodium adsorption ratio is less than 30.
        - 1) Soil does not have a Bt horizon (less than 18 percent clay in the particle size control section). The water table is below 200 cm (79 inches). (See also R027XY078NV, this site is less calcareous throughout) ... R027XY036NV DRY SODIC TERRACE
        - 2) Soil has a Bt horizon (clay is between 18 and 35 percent in the particle size control section). This site does not have a water table. ... R027XY050NV COARSE GRAVELLY LOAM 4-8 P.Z.

## Hills and Fans

- I. Soil moisture regime is typic aridic.
  - A. Soil depth is less than 50 cm (19 inches) to a root restrictive layer.
    - 1 Soil has granite parent material. ... R027XY047NV ERODED GRANITIC SLOPE
    - 2 Parent material not as above.
      - i. Soil formed in lacustrine deposits ... R027XY093NV STONY TERRACE 4-8 P.Z.
      - ii. Soil not as above.
        - a. Site found on a dominantly south aspect. ... R027XY017NV SOUTH SLOPE 4-8 P.Z.
        - b. Site not found on a south aspect.
          - 1) Site occurs on summits. ... R027XY015NV STONY LOAM 4-8 P.Z.
          - 2) Landscape position not as above.
            - a) Soil lacks a subsurface clay accumulation (no argillic horizon). ... R027XY027NV BARREN GRAVELLY SLOPE 4-8 P.Z.
            - b) Soils have subsurface clay accumulation.
              - (1) Soils are shallow to a duripan. ... R027XY018NV GRAVELLY LOAM 4-8 P.Z.
              - (2) Soil lacks a duripan. ... R027XY019NV STONY SLOPE 4-8 P.Z.
  - B. Soil is not as above, greater than 50 cm (19 inches) to a root restrictive layer.

- 1 Soil is somewhat excessively drained or excessively drained.
  - i. Site occurs on dunes. ... R027XY023NV DUNES 4-8 P.Z.
  - ii. Site does not occur on dunes.
    - a. Site occurs on sandsheets. ... R027XY009NV SANDY 5-8 P.Z.
    - b. Site occurs on drainageways with occasional flooding. ... R027XY022NV VALLEY WASH
- 2 Soils are well drained.
  - i. Soil is characterized by an argillic horizon (increase subsurface clay accumulation) and is loamy sand to loam on the soil surface. ... R027XY013NV LOAMY 4-8 P.Z.
  - ii. Soil is not as above and is effervescent throughout.
    - a. Soil is violently effervescent throughout with a silt loam surface texture. ... R027XY014NV COARSE SILTY 4-8 P.Z.
    - b. Effervescence is strongest in the Bk horizon. The pH is greater than 9.0 in the Bk. Soil has a gravelly sandy loam surface texture. ... R027XY050NV COARSE GRAVELLY LOAM 4-8 P.Z.
- II. Soil moisture is aridic trending xeric.
  - A. Soils were formed in alluvium.
    - 1 Soil is somewhat excessively drained or excessively drained.
      - i. Site occurs on dunes and is sandy throughout. ... R027XY053NV DUNES 8-10 P.Z.
      - ii. Site occurs in ephemeral drainageways. ... R027XY029NV GRAVELLY FAN 8-10 P.Z.
    - 2 Soil is well drained.
      - i. Soil parent material is granitic. ... R027XY067NV GRANITIC LOAM 8-10 P.Z.
      - ii. Parent material is not granitic.
        - a. Elevation is less than 5,000 feet and occurs on inset fans. ... R027XY008NV DROUGHTY LOAM 8-10 P.Z.
        - b. Elevation is greater than  $5{,}000$  feet and occurs on inset fans. ... R027XY045NV SANDY 8-10 P.Z.
  - B. Soils were formed in residuum and/or colluvium.
    - 1 Parent material is volcanic or mixed.
      - i. Site is found predominately on south aspects. ... R027XY051NV SOUTH SLOPE 8-10 P.Z.
      - ii. Site is not found on south aspects.
        - a. Soil profile has an abrupt boundary to a Bt horizon (abrupt increase clay accumulation). ... R027XY020NV SHALLOW CLAYPAN 8-10 P.Z.
        - b. Soils lack an abrupt boundary with clay accumulation.
          - 1) Soil is loamy and rocky with less than 35 percent clay. ... R027XY007NV LOAMY SLOPE 8-10 P.Z.
          - 2) Soils are clayey and rocky with more than 35 percent clay.
            - a) Soils have carbonate accumulation on the bedrock contact. This soil/site supports little sagebrush (Artemisia arbuscula ssp. longicaulis). ... R027XY070NV DROUGHTY CLAYPAN 8-10 P.Z.
            - b) Soil profile lacks carbonate accumulation on the bedrock contact. Soil/site supports black sagebrush (Artemisia nova). ... R027XY032NV SHALLOW CALCAREOUS LOAM 10-12 P.Z.
    - 2 Soils formed in granitic parent material.
      - i. Soil is characterized by a mollic epipedon. ... R027XY079NV GRAVELLY CLAYPAN 8-10 P.Z.
      - ii. Soil is characterized by an ochric epipedon.
        - a. Soil has less than 18 percent clay and is on greater than 15 percent slopes...R027XY063NV
        - b. Soil has greater than 18 percent clay. ... R027XY068NV GRANITIC CLAYPAN 8-10 P.Z.

### **Mountains**

- I. Soils are formed in alluvium and are very deep.
  - A. Soils are poorly drained with a seasonal high water table within 50 cm (19 inches) of the soil surface. The slopes are less than 5 percent. ... R027XY004NV WET MEADOW 8-12 P.Z.
  - B. Soils are well drained. The site receives fun in moisture, but does not have a water table. ... R027XY003NV LOAMY BOTTOM
- II. Soils were formed in residuum and/or colluvium.
  - A. Soils are derived from limestone and or dolostone... F027XY053NV
  - B. Soils are derived from granitic parent material.
    - 1 Soils are less than 50 cm (19 inches) deep. ... R027XY072NV GRANITIC SLOPE 10-12 P.Z.
    - 2 Soils are 50 to 100 cm (19 to 39 inches) deep. ... R027XY073NV GRANITIC SLOPE 12-14 P.Z.
  - C. Soil are are derived from volcanic or mixed parent material.
    - 1 Soil is characterized by an ochric epipedon.
      - i. Site is found on south aspects. Soils have an argillic horizon (increase in clay accumulation). ... R027XY051NV SOUTH SLOPE 8-10 P.Z.
      - ii. Site in found on various aspects and soils lack an argillic horizon. ... F027XY082NV Very Steep Shallow Loam
    - 2 Soil is characterized by a mollic epipedon.
      - i. Soil is less than 50 cm (19 inches) deep.
        - a. Site occur son summits and ridges in a convex-convex landform shape. ... R027XY083NV MOUNTAIN RIDGE
        - b. Landform is not as above. Site occurs on backslopes on linear or slightly concave slopes.
          - 1) Soil has less than 35 percent clay in the particle size control section.
            - a) Site has a mesic soil temperature regime. ... F027XY081NV Shallow Rocky Loam
            - b) Soil has a frigid soil temperature regime....027XY080NV
          - 2) Clay is greater than 35 percent in the particle size control section.
            - a) Slopes are less than 30 percent. ... R027XY087NV CLAYPAN 14+ P.Z.
            - b) Slopes are greater than 30 percent. ... R027XY046NV COBBLY CLAYPAN 12-14 P.Z.
      - ii. Soil is deeper than 50 cm (19 inches).
        - a. Soil is 50 to 100 cm (19 to 39 inches) deep.
          - 1) Soil has less than 35 percent rock fragments and less than 35 percent clay in the particle size control section. ... R027XY054NV LOAMY SLOPE 10-12 P.Z.
          - 2) Soil has greater than 35 percent rock fragments and greater than 35 percent clay in the particle size control section. ... R027XY079NV GRAVELLY CLAYPAN 8-10 P.Z.
        - b. Soil is deeper than 39 inches to a restrictive layer.
          - 1) Soil has a thick mollic epipedon (greater than 50 cm thick, or pachic).
            - a) Clay is less than 27 percent in the particle size control section. ... R027XY086NV LOAMY 16+P.Z.
            - b) Clay is greater than 27 percent in the particle size control section....023XY041NV
          - 2) Mollic epipedon is less than 50 cm (19 inches) thick. See also 027XY085NV. ... R027XY084NV MOUNTAIN SHOULDER 16+ P.Z.