Major Land Resource Area 044B Central Rocky Mountain Valleys

Accessed: 04/25/2024

Ecological site keys

Key to the Keys

- I. Ecological Site Groups rather than more specific Ecological Site Descriptions. ... Key 2 44B PES Groupings Key
- II. Ecological Site Descriptions rather than the more broad-based and general descriptions of Ecological Site Groups.
 - A. LRU 1 Subset A, Lower precipitation 9-14 inch zone ... Key 3 MRLA 44B Key LRU 01 Subset A
 - B. LRU 1 Subset B, higher precipitation
 - 1 LRU 1 Subset B, higher precipitation 15-19 inch zone ... Key 4 MLRA 44B Key LRU 01 Subset B
 - 2 LRU 1 Subset C, higher precipitation 20-24 inch zone ... Key 5 LRU 01 Subset C

44B PES Groupings Key

A Rangeland Groups

- 1 Significant additional water influences community.
 - i. Soils are associated with a stream or live water and are in a riparian or lowland situation. ... R044BP801MT Bottomland
 - ii. Not in a riparian situation, but has a water table present.
 - a. Soil saline or sodic (EC > 7 or SAR > 12 within surface 18cm)
 - 1) Community is Grass and grasslike dominated, water table within rooting depth of herbaceous species, limiting woody vegetation (less than 100 cm from the ground surface for part of the growing season). ... R044BP813MT Subirrigated Saline-Sodic Grassland
 - 2) Community is shrub dominated, water table within rooting depth of herbaceous species, limiting woody vegetation (greater than 100 cm from the ground surface for part of the growing season). ... R044BP814MT Subirrigated Saline-Sodic Shrubland
 - b. Soils are not saline or sodic
 - 1) Community is Grass and grasslike dominated, water table within rooting depth of herbaceous species, limiting woody vegetation (less than 100 cm from the ground surface for part of the growing season). ... R044BP815MT Subirrigated Grassland
 - 2) Community is shrub dominated, water table within rooting depth of herbaceous species, limiting woody vegetation (greater than 100 cm from the ground surface for part of the growing season). ... R044BP817MT Subirrigated Shrubland
- 2 Not water controlled upland
 - i Soils influenced by chemistry within the upper soil profile.
 - a. Soil saline or sodic (EC > 7 or SAR > 12 within surface 18cm)
 - 1) Dominated by grasses and grasslike species Grassland ... R044BP807MT Saline-Sodic Grassland

- 2) Dominated by shrubs ... R044BP808MT Saline-Sodic Sagebrush Shrubland
- b. Soil is strongly or violently effervescent (CaCO3 > 14%) in surface mineral 18cm Limy
 - 1) Dominated by grasses and grasslike species Grassland ... R044BP804MT Limy Grassland
 - 2) Dominated by shrubs
 - a) Sagebrush is the dominant shrub Sagebrush Shrubland ... R044BP805MT Limy Sagebrush Shrubland
 - b) All other shrubs Shrubland ... R044BP806MT Limy Shrubland
- ii Soils not influence by chemistry
 - A) Soils are shallow (less than 20 inches to a restrictive layer, root limiting layer, or bedrock)
 - 1) Dominated by grasses and grasslike species Grassland ... R044BP810MT Shallow Grassland
 - 2) Dominated by shrubs
 - a) Sagebrush is the dominant shrub Sagebrush Shrubland ... R044BP811MT Shallow Sagebrush Shrubland
 - b) All other shrubs Shrubland ... R044BP812MT Shallow Shrubland
 - B) Soils are not shallow
 - A) Soils contain a high amount (greater than 35%) rock fragments on the soil surface.
 - a) Dominated by grasses and grasslike species Grassland ... R044BP802MT Rubbly Grassland
 - b) Sagebrush is the dominant shrub Sagebrush Shrubland \dots R044BP803MT Rubbly Sagebrush Shrubland
 - B) Soils do not contain a high amount of rock fragments on the soil surface.
 - a) Dominated by grasses and grasslike species Grassland ... R044BP818MT Upland Grassland
 - b) Dominated by shrubs
 - (1) Sagebrush is the dominant shrub Sagebrush Shrubland ... R044BP819MT Upland Sagebrush Shrubland
 - (2) All other shrubs Shrubland ... R044BP820MT Upland Shrubland

B Forestland Groups

- 1 Deciduous dominated community, dominantly Aspen Aspen Woodland ... F044BP908MT Upland Aspen Woodland
- 2 All other Forest Types
 - a Warmer temperatures, generally related to lower elevations, south and west aspects Warm Woodland i Soils are shallow (less than 20 inches to a restrictive layer, root limiting layer, or bedrock) ... F044BP904MT Shallow Warm Woodland
 - ii Soils are not shallow
 - 1) Soil is strongly or violently effervescent (CaCO3 > 14%) in surface mineral 18cm Limy ... F044BP913MT Limy Warm Woodland
 - 2) Soils are not strong to violently effervescent ... F044BP911MT Upland Warm Woodland
 - b Cooler temperatures with higher elevations
 - i Coldest and highest elevation, just below timberline or on north and east aspects -Cold Woodland
 - 1) Additional moisture available, meadows or snow-catch areas Cold-Moist Woodland ... F044BP906MT Subirrigated Cold Woodland
 - 2) No additional moisture Cold Woodland
 - a) Soil is strongly or violently effervescent (CaCO3 > 14%) in surface mineral 18cm Limy ... F044BP902MT Shallow Cold Woodland
 - b) Soil is not strongly or violently effervescent ... F044BP909MT Upland Cold Woodland ii Cool temperatures, mid-elevation range, and variable aspect.

- A) Additional moisture available, meadows or snow-catch areas Cool-Moist Woodland ... F044BP907MT Subirrigated Cool Woodland
- B) No additional moisture Cool Woodland
 - a) Soils are shallow (less than 20 inches to a restrictive layer, root limiting layer, or bedrock) ... F044BP903MT Shallow Cool Woodland
 - b) Soils are not shallow
 - (1) Soil is strongly or violently effervescent (CaCO3 > 14%) in surface mineral 18cm Limy ... F044BP912MT Limy Cool Woodland
 - (2) Soil is not strongly or violently effervescent
 - (a) Soils contain a high amount (greater than 35%) rock fragments on the soil surface. ... F044BP901MT Rubbly Cool Woodland
 - (b) Soils do not have a high amount of rock fragments on the surface. ... F044BP910MT Upland Cool Woodland

MRLA 44B Key LRU 01 Subset A

- I. Site receives additional effective moisture.
 - A. Soil Saline (EC>4 within surface 4") and water table 24-40" from ground surface; salt tolerant plants dominate site -- Saline Subirrigated (SSb)
 - B. Soil Not Saline
 - 1 Seasonal high water table ≥ 40" from ground surface; site regularly receives more than normal soil moisture from run-in and stream overflow -- Overflow (Ov) ... EX044B01A060 -- Overflow (Ov) LRU 01 Subset A
 - 2 Seasonal high water table < 40" from ground surface
 - i. Soil Organic (Organic surface > 8 inches thick) -- Wet Meadow, Organic (WMO)
 - ii. Soil Not Organic
 - a. Site located in Floodplain
 - 1) Seasonal high water table < 24"
 - a) Seasonal high water table <12" -- Riparian Wet Meadow (RWM)
 - b) Seasonal high water table 12" to 24" -- Riparian Meadow (RM) ... EX044B01Y080 Riparian Meadow (RM) LRU 01 Subset Y
 - 2) Seasonal high water table 24" to 40" -- Riparian Subirrigated (RSb) ... EX044B01Y081 Riparian Subirrigated (RSb) LRU 01 Subset Y
 - b. Site not located in Floodplain
 - Seasonal high water table < 24"
 - a) Seasonal high water table <12" -- Wet Meadow (WM)
 - b) Seasonal high water table 12" to 24" -- Meadow (M)
 - 2) Seasonal high water table 24" to 40" -- Subirrigated
- II. Site does not receive additional effective moisture
 - A. Soil Saline or Saline-Sodic within surface 20" or soils with natric or relic natric horizons
 - 1 No columnar structure; site dominated by salt tolerant plants -- Saline Upland (SU) ... EX044B01A093 Saline Upland (SU) LRU 01 Subset A
 - 2 Columnar structure present, abrupt root or water restrictive clay layer present within 8" of soil surface
 - i. Less than 4" of soil surface over clay layer (evidence of columnar structure) -- Thin Claypan (TCp) ... EX044B01A165 Thin Claypan (TCp) LRU 01 Subset A
 - ii. Soil has 4" to 8" of surface over clay layer (evidence of columnar structure) -- Claypan (Cp) ...

- B. Soil NOT Saline or Saline-Sodi
 - 1 Soil Shallow (10"-20" deep to bedrock, lithic, or paralithic root restrictive layer)
 - i. Soil is strongly or violently effervescent (calcareous) in surface mineral 4"; lime concentrations often increase with depth
 - a. Soil skeletal (≥35% rock fragment in the 10-20" layer) -- Shallow Limy Droughty (SwLyDr) ... EX044B01A135 Shallow Limy Droughty (SwLyDr) LRU 01 Subset A
 - b. Soil NOT skeletal (<35% rock fragment in 10-20" layer) -- Shallow Limy (SwLy) ... EX044B01A132 Shallow Limy (SwLy) LRU 01 Subset A
 - ii. Soil NOT strongly or violently effervescent in surface mineral 4"
 - a. Soil Skeletal (≥35% rock fragments in 10-20" layer) -- Shallow Droughty (SwDr) ... EX044B01A138 Shallow Droughty (SwDr) LRU 01 Subset A
 - b. Soil NOT skeletal (<35% rock fragments in 10-20" layer)
 - 1) Soil clay content ≤ 32% in surface mineral 4" (soil ribbon ≤ 2") -- Shallow Loamy (SwLo) ... EX044B01A136 Shallow Loamy (SwLo) LRU 01 Subset A
 - 2) Soil clay content >32% in surface mineral 4" (ribbon >2") ... EX044B01A131 Shallow Clay (SwC) LRU 01 Subset A
 - 2 Soils moderately deep, deep, or very deep (\geq 20" deep to bedrock, lithic, or paralithic root restrictive layer
 - i. Soil skeletal (≥35% rock fragment in the 10-20" layer)
 - a. Soil Sandy-Skeletal
 - 1) Soil sandy-skeletal within 10" of soil surface -- Gravelly (Gr) ... EX044B01A020 Gravelly (Gr) LRU 01 Subset A
 - 2) Soil sandy-skeletal within 10-20" of soil surface
 - a) Soil strongly or violently effervescent within surface mineral 4" -- Shallow to Gravel, Limy (SwGrLy) ... EX044B01A137 Shallow to Gravel Limy (SwGrLy) LRU 01 Subset A
 - b) Soil NOT strongly or violently effervescent within surface mineral 4" -- Shallow to Gravel (SwGr) ... EX044B01A134 Shallow to Gravel (SwGr) LRU 01 Subset A
 - b. Soil loamy-skeletal or clayey-skeletal
 - 1) Soil strongly or violently effervescent within top 4" -- Limy Droughty (LyDr) ... EX044B01A031 Limy Droughty (LyDr) LRU 01 Subset A
 - 2) Soil NOT strongly or violently effervescent within surface mineral 4"
 - a) Slope < 15% -- Droughty (Dr) ... EX044B01A036 Droughty (Dr) LRU 01 Subset A
 - b) Slope ≥ 15% -- Droughty Steep (DrStp) ... EX044B01A038 Droughty Steep (DrStp) LRU 01 Subset A
 - ii. Soil NOT skeletal (<35% rock fragment in 10-20" layer)
 - a. Soil strongly or violently effervescent in surface mineral 4" -- Limy (Ly) ... EX044B01A030 Limy (Ly) LRU 01 Subset A
 - b. Soil NOT strongly or violently effervescent in surface mineral 4"
 - 1) Soil Sand or Loamy Sand texture within surface mineral 4" -- Sands (Sa)
 - 2) Soil NOT sand or loamy sand texture
 - a) Slope < 15%
 - (1) Soil Coarse sandy loam to fine sandy loam texture within surface mineral 4" -- Sandy
 - (Sy) ... EX044B01A110 Sandy (Sy) LRU 01 Subset A
 - (2) Soil texture NOT sandy loam to fine sandy loam
 - (a) Soil Clay content >32% in surface mineral 4" (ribbon ≥ 2")
 - (1) Clay content >32%-45% within surface mineral 4" -- Clayey (Cy) ... EX044B01A001 Clayey (Cy) LRU 01 Subset A
 - (2) Clay >45% within surface mineral 2" -- Dense Clay Nonsodic (DCX)

- (b) Soil Clay content ≤32% in surface mineral 4"
 - (1) Any Argillic horizon in surface 20" with >32% clay (ribbon ≥2") -- Loamy Argillic (LoA)
 - (2) Argillic horizon, if present in surface 20", has ≤ 32% clay (ribbon <2") -- Loamy(Lo) ... EX044B01A032 Loamy (Lo) LRU 01 Subset A
- b) Slope ≥ 15%
 - (1) Mollic epipedon present
 - (a) Clay content is >32% in surface mineral 4" (ribbon ≥ 2") -- Clayey Steep (CyStp)
 - (b) Clay content is \leq 32% in surface mineral 4" (ribbon < 2") -- Loamy Steep (LoStp) ... EX044B01A040 Loamy Steep (LoStp) LRU 01 Subset A
 - (2) Mollic epipedon NOT present
 - (a) Coarse sandy loam to fine sandy loame texture -- Thin Sandy (TSy)
 - (b) Soils NOT sandy loam or fine sandy loam
 - (1) Clay content is ≤ 32% in surface mineral 4" (ribbon < 2") -- Thin Loamy (TLo)
 - (2) Clay content is >32% in surface mineral 4" (ribbon ≥ 2") -- Thin Clayey (TCy)

MLRA 44B Key LRU 01 Subset B

- I. Site receives additional effective moisture.
 - A. Soil Saline (EC>4 within surface 4") and water table 24-40" from ground surface; salt tolerant plants dominate site -- Saline Subirrigated (SSb)
 - B. Soil Not Saline
 - 1 Seasonal high water table ≥ 40" from ground surface; site regularly receives more than normal soil moisture from run-in and stream overflow ... EX044B01B060 Overflow (Ov) LRU 01 Subset B
 - 2 Seasonal high water table < 40" from ground surface
 - i. Soil Organic (Organic surface > 8 inches thick) -- Wet Meadow, Organic (WMO)
 - ii. Soil Not Organic
 - a. Site located in Floodplain
 - 1) Seasonal high water table < 24"
 - a) Seasonal high water table <12" -- Riparian Wet Meadow (RWM)
 - b) Seasonal high water table 12" to 24" ... EX044B01Y080 Riparian Meadow (RM) LRU 01 Subset Y
 - 2) Seasonal high water table 24" to 40" ... EX044B01Y081 Riparian Subirrigated (RSb) LRU 01 Subset Y
 - b. Site not located in Floodplain
 - 1) Seasonal high water table < 24"
 - a) Seasonal high water table <12" -- Wet Meadow (WM)
 - b) Seasonal high water table 12" to 24" -- Meadow (M)
 - 2) Seasonal high water table ≥24"
 - a) Seasonal high water table >40" ... EX044B01Y200 Stream Terrace LRU 44B-Y
 - b) Seasonal high water table 24" to 40" -- Subirrigated (Sb)
- II. Site does not receive additional effective moisture
 - A. Soil Saline or Saline-Sodic within surface 20" or soils with natric or relic natric horizons
 - 1 No columnar structure; site dominated by salt tolerant plants -- Saline Upland
 - 2 Columnar structure present, abrupt root or water restrictive clay layer present within 8" of soil surface

- i. Less than 4" of soil surface over clay layer (evidence of columnar structure) -- Thin Claypan
- ii. Soil has 4" to 8" of surface over clay layer (evidence of columnar structure) -- Claypan
- B. Soil NOT Saline or Saline-Sodic
 - 1 Soil Shallow (10"-20" deep to bedrock, lithic, or paralithic root restrictive layer)
 - i. Soil is strongly or violently effervescent (calcareous) in surface mineral 4"; lime concentrations often increase with depth
 - c. Soil skeletal (<35% rock fragment in 10-20" layer) -- Shallow Limy Droughty (SwLyDr)
 - b. Soil NOT skeletal (<35% rock fragment in 10-20" layer) -- Shallow Limy (SwLy)
 - ii. Soil NOT strongly or violently effervescent in surface mineral 4"
 - a. Soil Skeletal (≥35% rock fragments in 10-20" layer) ... EX044B01B138 Shallow Droughty (SwDr) LRU 01 Subset B
 - b. Soil NOT skeletal (<35% rock fragments in 10-20" layer)
 - 1) Soil clay content \leq 32% in surface mineral 4" (soil ribbon \leq 2") ... EX044B01B136 Shallow Loamy (SwLo) LRU 01 Subset B
 - 2) Soil clay content >32% in surface mineral 4" (ribbon >2") ... EX044B01B131 Shallow Clay (SwC) LRU 01 Subset B
 - 2 Soils moderately deep, deep, or very deep (≥ 20" deep to bedrock, lithic, or paralithic root restrictive layer
 - i. Soil skeletal (≥35% rock fragment in the 10-20" layer)
 - a. Soil Sandy-Skeletal
 - 1) Soil sandy-skeletal within 10" of soil surface -- Gravelly (Gr)
 - 2) Soil sandy-skeletal within 10-20" of soil surface
 - a) Soil strongly or violently effervescent within surface mineral 4" -- Shallow to Gravel, Limy (SwGrLy)
 - b) Soil NOT strongly or violently effervescent within surface mineral 4" -- Shallow to Gravel (SwGr)
 - b. Soil loamy-skeletal or clayey-skeletal
 - 1) Soil strongly or violently effervescent within top 4" ... EX044B01B031 Limy Droughty (LyDr) LRU 01 Subset B
 - 2) Soil NOT strongly or violently effervescent within surface mineral 4"
 - a) Slope < 15% ... EX044B01B036 Droughty (Dr) LRU 01 Subset B
 - b) Slope ≥ 15% ... EX044B01B038 Droughty Steep (DrStp) LRU 01 Subset B
 - ii. Soil NOT skeletal (<35% rock fragment in 10-20" layer)
 - a. Soil strongly or violently effervescent in surface mineral 4" ... EX044B01B030 Limy (Ly) LRU 01 Subset B
 - b. Soil NOT strongly or violently effervescent in surface mineral 4" -- Sands (Sa)
 - 1) Soil Sand or Loamy Sand texture within surface mineral 4"
 - 2) Soil NOT sand or loamy sand texture
 - a) Slope < 15%
 - (1) Soil Coarse sandy loam to fine sandy loam texture within surface mineral 4" -- Sandy (Sy)
 - (2) Soil texture NOT sandy loam to fine sandy loam
 - (a) Soil Clay content >32% in surface mineral 4" (ribbon ≥ 2")
 - (1) Clay content >32%-45% within surface mineral 4" -- Clayey (Cy)
 - (2) Clay >45% within surface mineral 2" -- Dense Clay Nonsodic (DCX)
 - (b) Soil Clay content ≤32% in surface mineral 4" Loamy Argillic (LoA)
 - (1) Any Argillic horizon in surface 20" with >32% clay (ribbon ≥2")
 - (2) Argillic horizon, if present in surface 20", has ≤ 32% clay (ribbon <2") ...

EX044B01B032 - Loamy (Lo) LRU 01 Subset B

- b) Slope ≥ 15%
 - (1) Mollic epipedon present
 - (a) Clay content is >32% in surface mineral 4" (ribbon ≥ 2") -- Clayey Steep (CyStp)
 - (b) Clay content is \leq 32% in surface mineral 4" (ribbon < 2") ... EX044B01B040 Loamy Steep (LoStp) LRU 01 Subset B
 - (2) Mollic epipedon NOT present
 - (a) Coarse sandy loam to fine sandy loame texture -- Thin Sandy (TSy)
 - (b) Soils NOT sandy loam or fine sandy loam
 - (1) Clay content is ≤ 32% in surface mineral 4" (ribbon < 2")-- Thin Loamy (TLo)
 - (2) Clay content is >32% in surface mineral 4" (ribbon ≥ 2") -- Thin Clayey (TCy)

LRU 01 Subset C

I. Not included in any other Key, Is in higher precipitation zones and is less than 35% clay and greater than 18% Clay, No argillic horizon, and less than 15% slope. ... EX044B01C032 – Loamy (Lo) LRU 01 Subset C