

# Major Land Resource Area 085A

## Grand Prairie

Accessed: 05/07/2024

---

### Ecological site keys

#### Lampasas Cut Plain and Forth Worth Prairie

---

##### I. Lampasas Cut Plain

###### A. Landform is a drainageway, stream terrace, flood plain or flood-plain step

1 Noncalcareous or sandy surface texture

2 Landform is a flood plain or flood-plain step

i. Loamy surface texture ... R085AY181TX – Loamy Bottomland 30-38" PZ

ii. Clayey surface texture ... R085AY178TX – Clayey Bottomland 30-38" PZ

3 Landform is a drainageway or stream terrace

i. Slope shape is convex or slope gradient is greater than 3 percent ... R085AY379TX – Loamy Slope 30-38

ii. Slope shape is linear to concave or slope gradient is less than 3 percent

a. Loamy surface texture ... R085AY479TX – Loamy Swale 30-38

b. Clayey surface texture

1) Greater than 5 percent visible secondary carbonates within 40" ... R085AY279TX – Clayey Swale 30-38

2) Less than 5 percent visible secondary carbonates within 40" ... R085AY177TX – Blackland 30-38" PZ

###### B. Landform is a ridge or hillslope (upland)

1 Parent material is Edwards Limestone

i. Slope gradient is greater than 12 percent ... R085AY187TX – Steep Rocky 30-38" PZ

ii. Matrix color of subsoil within 20" has a red hue

a. Less than 20" to indurated limestone bedrock or a petrocalcic horizon ... R085AY183TX – Redland 30-38" PZ

b. Greater than 20" to indurated limestone bedrock or a petrocalcic horizon ... R085AY180TX – Deep Redland 30-38" PZ

iii. Matrix color of subsoil within 20" has a brown to black hue

a. Greater than 10 percent surface cover of stones and cobbles ... R085AY182TX – Low Stony Hill 30-38" PZ

b. Less than 10 percent surface cover of stones and cobbles

1) Less than 20" to indurated limestone bedrock or a petrocalcic horizon ... R085AY185TX – Shallow 30-38" PZ

2) Greater than 20" to indurated limestone bedrock or a petrocalcic horizon ... R085AY379TX – Loamy Slope 30-38

2 Parent material is Comanche Peak Limestone

i. Slope gradient is greater than 12 percent ... R085AY186TX – Steep Adobe 30-38" PZ

ii. Slope gradient is less than 12 percent ... R085AY176TX – Adobe 30-38" PZ

3 Walnut Prairie (Parent material is Walnut formation)

- i. Greater than 20" to limestone bedrock and/or petrocalcichorizon
  - a. Greater than 3 percent surface cover of stones and cobbles ... R085AY188TX – Stony Clay Loam 30-38" PZ
  - b. Less than 3 percent surface cover of stones and cobbles
    - 1) Loamy surface texture ... R085AY379TX – Loamy Slope 30-38
    - 2) Clayey surface texture
      - a) Greater than 5 percent visible secondary carbonates within 40" ... R085AY279TX – Clayey Swale 30-38
      - b) Less than 5 percent visible secondary carbonates within 40" ... R085AY177TX – Blackland 30-38" PZ

- ii. Less than 20" to limestone bedrock and/or petrocalcic horizon
  - a. Less than 10" to massive oyster bed limestone and petrocalcic horizon is not present ... R085AY189TX – Very Shallow 30-38" PZ
  - b. Greater than 10" to limestone or any depth to petrocalcic horizon
    - 1) Ochric epipedon and slope shape is convex ... R085AY176TX – Adobe 30-38" PZ
    - 2) Mollic epipedon
      - a) Clayey surface texture ... R085AY563TX – Shallow Clay 30-38" PZ
      - b) Loamy surface texture ... R085AY185TX – Shallow 30-38" PZ

#### 4 Glen Rose Prairie (Parent material is Glen Rose formation)

- i. Slope gradient is less than 12 percent
  - a. Greater than 20" to limestone bedrock or petrocalcic horizon ... R085AY379TX – Loamy Slope 30-38
  - b. Less than 20" to limestone bedrock or petrocalcic horizon
    - 1) Ochric epipedon and slope shape is convex ... R085AY176TX – Adobe 30-38" PZ
    - 2) Mollic epipedon
      - a) Clayey surface texture ... R085AY563TX – Shallow Clay 30-38" PZ
      - b) Loamy surface texture ... R085AY185TX – Shallow 30-38" PZ

#### 5 Travis Peak Prairie (Parent material is Travis Peak formation)

- i. Surface horizon is calcareous ... R085AY565TX – Pink Caliche 30-38" PZ
- ii. Surface horizon is noncalcareous
  - a. Gravel content of surface horizon is greater than 15 percent
  - b. Gravel content of surface horizon is less than 15 percent

## II. Fort Worth Prairie

### A. Landform is a drainageway, stream terrace, flood plain or flood-plain step

- 1 Sandy surface texture or noncalcareous with loamy surface texture
  - i. Sandy clay loam, sandy loam, or sandy surface texture
  - ii. Clay loam, loam, or silty surface texture
    - a. Strongly effervescent within 40" ... R085AY379TX – Loamy Slope 30-38
    - b. Not strongly effervescent within 40" ... R085AY003TX – Claypan 35-40 PZ

### 2 Loamy or clayey surface texture

- i. Landform is a flood plain or flood-plain step
  - a. Loamy surface texture ... R085AY181TX – Loamy Bottomland 30-38" PZ
  - b. Clayey surface texture ... R085AY178TX – Clayey Bottomland 30-38" PZ
- ii. Landform is a drainageway or stream terrace
  - a. Slope shape is convex or slope gradient is greater than 3 percent ... R085AY379TX – Loamy Slope 30-38

b. Slope shape is linear to concave or slope gradient is less than 3 percent

1) Loamy surface texture ... R085AY479TX – Loamy Swale 30-38

2) Clayey surface texture

a) Greater than 5 percent visible secondary carbonates within 40" ... R085AY279TX – Clayey Swale 30-38

b) Less than 5 percent visible secondary carbonates within 40" ... R085AY177TX – Blackland 30-38" PZ

B. Landform is a ridge or hillslope (upland)

1 Surface horizon is noncalcareous or matrix color of subsoil within 20" has a red hue

i. Less than 20" to limestone bedrock ... R085AY183TX – Redland 30-38" PZ

ii. Greater than 20" to limestone bedrock ... R085AY180TX – Deep Redland 30-38" PZ

2 Surface horizon is calcareous and matrix color of subsoil within 20" does not have a red hue

i. Ochric epipedon and slope shape is convex ... R085AY176TX – Adobe 30-38" PZ

ii. Mollic epipedon

a. Less than 20" to limestone bedrock

1) Loamy surface texture ... R085AY185TX – Shallow 30-38" PZ

2) Clayey surface texture ... R085AY563TX – Shallow Clay 30-38" PZ

b. Greater than 20" to limestone bedrock

1) Loamy surface texture ... R085AY379TX – Loamy Slope 30-38

2) Clayey surface texture

a) Calcic horizon within 40" ... R085AY179TX – Clayey Slope 30-38

b) Calcic horizon greater than 40" if present ... R085AY177TX – Blackland 30-38" PZ