

Major Land Resource Area 048A

Southern Rocky Mountains

Accessed: 04/25/2024

Ecological site group keys

MLRA 48A ESGs - Curtis strawman

I. Aquic Moisture Regime

A. Cryic Temperature Regime

1 Mineral Soil - 117 soil components ... ESG048A01 – Aquic Cryic Mineral

2 Organic Soil - 43 soil components ... ESG048A02 – Aquic Cryic Organic

B. Frigid Temperature Regime - 48 soil components ... ESG048A03 – Aquic Frigid

II. Udic Moisture Regime

A. Pergelic Temperature Regime - 13 soil components ... ESG048A04 – Udic Pergelic

B. Cryic Temperature Regime

1 Sandy Surface Texture - 24 soil components ... ESG048A05 – Udic Cryic Sandy

2 Loamy Surface Texture

i. No coarse fragments on the surface - 764 soil components ... ESG048A06 – Udic Cryic Loamy

ii. Gravelly Surface - 450 soil components ... ESG048A07 – Udic Cryic Gravelly

iii. Coarse fragments larger than gravel on the surface - 699 soil components ... ESG048A08 – Udic Cryic Stony

C. Frigid Temperature Regime - 372 soil components ... ESG048A09 – Udic Frigid

III. Ustic Moisture Regime

A. Cryic Temperature Regime

1 No coarse fragments on the surface - 187 soil components ... ESG048A10 – Ustic Cryic

2 Coarse fragments on the surface - 174 soil components ... ESG048A11 – Ustic Cryic Gravelly

B. Frigid Temperature Regime

1 No coarse fragments on the surface - 497 soil components ... ESG048A12 – Ustic Frigid

2 Coarse fragments on the surface - 708 soil components ... ESG048A13 – Ustic Frigid Gravelly

C. Mesic Temperature Regime - 87 soil components ... ESG048A14 – Ustic Mesic

IV. Aridic Moisture Regime

A. Frigid Temperature Regime - 74 soil components ... ESG048A15 – Aridic Frigid

B. Mesic Temperature Regime - 38 soil components ... ESG048A16 – Aridic Mesic

MLRA 48A ESGs - Travis strawman

I. Additional water

A. Perennial water - 109 soil components ... ESG048A17 – Riparian

B. Ephemeral water

1 Subsurface EC >4 - 28 soil components ... ESG048A18 – Saline Bottoms

2 Subsurface EC <4

- i. Sand >50% & Clay <25% for surface and subsurface - 9 soil components ... ESG048A19 – Sandy Bottoms
- ii. Sand <50% & Clay >25% for surface and subsurface - 89 soil components ... ESG048A20 – Bottoms

II. Uplands

A. >75% bedrock outcrop - 527 soil components ... ESG048A21 – Outcrops

B. <75% bedrock outcrop

1 Surface SAR >8, or Subsurface EC >8, or Surface EC >4 - 93 soil components ... ESG048A22 – Saline Hills

2 Surface SAR <8, or Subsurface EC <8, or Surface EC <4

i. Gypsum >5% surface or >10% subsurface - 27 soil components ... ESG048A23 – Gypsum

ii. Gypsum <5% surface and <10% subsurface

a. EC >1.5 surface or >2 subsurface - 42 soil components ... ESG048A24 – Saline Uplands

b. EC <1.5 surface or <2 subsurface

1) slope >35% & >40% surface rock - 34 soil components ... ESG048A25 – Breaks

2) slope <35% or <40% surface rock

a) Depth <30cm - 1211 soil components ... ESG048A26 – Very Shallow

b) depth: 30-55cm - 717 soil components ... ESG048A27 – Shallow

c) depth >55cm

(1) Rock >30% surface or >30% subsurface - 628 soil components ... ESG048A28 – Deep Rocky

(2) Rock <30% surface and <30% subsurface

(a) Clay >30% surface or >35% subsurface - 655 soil components ... ESG048A29 – Clay Uplands

(b) Clay <30% surface and <35% subsurface

(1) sand >75% or texture is Loamy Sand or sandier in surface & subsurface - 21 soil components ... ESG048A30 – Sandy Uplands

(2) sand <75% or texture is Loamy Fine Sand or finer in surface & subsurface

(a) Clay <20% or texture is Sandy Loam or sandier in surface - 993 soil components ... ESG048A31 – Loamy Uplands

(b) Clay >20% or texture is Fine Sandy Loam or finer in surface - 977 soil components ... ESG048A32 – Finer Uplands

3rd Iteration

I. Additional water

A. Perennial water

1 Mineral soil surface - 68 soil components ... ESG048A33 – Mineral Riparian

2 Organic soil surface - 40 soil components ... ESG048A34 – Organic Riparian

B. Ephemeral water

1 Subsurface EC >4 - 28 soil components ... ESG048A18 – Saline Bottoms

2 Subsurface EC <4 - 98 soil components ... ESG048A20 – Bottoms

II. Uplands

A. >75% bedrock outcrop - 527 soil components ... ESG048A21 – Outcrops

B. <75% bedrock outcrop

- 1 Surface SAR >8, subsurface EC >8, or surface EC >4, and soil moisture regime udic or ustic - 64 soil components ... ESG048A22 – Saline Hills
- 2 (Gypsum >5% surface or >10% subsurface) OR (surface SAR >8 or subsurface EC>8 or surface EC>4 AND soil moisture regime is aridic) - 56 soil components ... ESG048A35 – Arid/Gypsic Saline Hills
- 3 Gypsum <5% surface, gypsum <10% subsurface, surface SAR <8, subsurface EC <8, and surface EC <4.
 - i. EC>1.5 surface or >2 subsurface - 42 soil components ... ESG048A24 – Saline Uplands
 - ii. EC<1.5 surface or <2 subsurface
 - a. slope >35% & >40% surface rock AND soil moisture regime of Udic or Ustic - 34 soil components ... ESG048A25 – Breaks
 - b. Depth <30 cm AND soil moisture regime of Udic or Ustic - 1170 soil components ... ESG048A26 – Very Shallow
 - c. Depth: 30-55 cm AND soil moisture regime of Udic or Ustic - 694 soil components ... ESG048A27 – Shallow
 - d. Rock >30% surface or >30% subsurface AND soil moisture regime of Udic or Ustic - 621 soil components ... ESG048A28 – Deep Rocky
 - e. Slope, rock, or depth meeting one of the four criteria above, but with an Aridic soil moisture regime - 71 soil components ... ESG048A36 – Aridic Shallow or Rocky
 - f. Soil not steep, rocky, or shallow
 - 1) Clay >30% surface or >35% subsurface AND Udic soil moisture regime - 216 soil components ... ESG048A37 – Udic Clay Uplands
 - 2) Clay >30% surface or >35% subsurface AND Ustic soil moisture regime - 370 soil components ... ESG048A38 – Ustic Clay Uplands
 - 3) Clay >30% surface or >35% subsurface AND Aridic soil moisture regime - 69 soil components ... ESG048A39 – Aridic Clay Uplands
 - 4) Clay >30% surface or >35% subsurface
 - a) sand >75% or texture is loamy sand or sandier in surface & subsurface - 21 soil components ... ESG048A30 – Sandy Uplands
 - b) sand <75% or texture is Loamy Fine Sand or finer in surface & subsurface
 - (1) Clay <20% or texture is Sandy Loam or sandier in surface - 993 soil components ... ESG048A31 – Loamy Uplands
 - (2) Clay >20% or texture is Fine Sandy Loam or finer in surface AND Udic soil moisture regime - 411 soil components ... ESG048A40 – Udic Finer Uplands
 - (3) Clay >20% or texture is Fine Sandy Loam or finer in surface AND Ustic soil moisture regime - 343 soil components ... ESG048A41 – Ustic Finer Uplands
 - (4) Clay >20% or texture is Fine Sandy Loam or finer in surface AND Aridic soil moisture regime - 96 soil components ... ESG048A42 – Aridic Finer Uplands